Drain N' Seal Moisture Block Systems

Superior Ground Moisture Control

Version April 2014

When superior ground moisture control is required, Drain N'Seal® pedestal foam products from Uraseal are the products of choice by communication field technicians. Specifically designed for fiber pedestals to inhibit ground moisture penetration, Drain N'Seal® products minimize damage caused by condensation and water. The unique cell structure provides complex channels that inhibits the penetration of moisture into the pedestal while allowing any condensate or water build up to freely drain from the pedestal. This unique characteristic of Drain N'Seal® products is superior to pea rock and other foam products. *Drain N'Seal® the simple solution for moisture!*



URASEAL, INC.

One Washington Street
Suite 204
Dover, NH 03820

Phone: 800-749-2788 Fax: 603-749-5594 Web: www.uraseal.com



Certificate No. 74 300 3830



- Economical and easy to use
- Re-enterable
- Controls ground moisture penetration
- Ideal for fiber pedestals and vaults
- Provides a clean environment for open architecture fiber closure
- Convenient packaging reduces storage, transportation and waste costs
- RUS Listed
- Keeps Rodents and Pests Out!

Drain N'Seal® pedestal foam kits are easy to use, economical and light weight. After any re-entry work, new material will completely bond to existing foam. Simply roll the bag to burst the center seal and mix by kneading the package. The kit is ready to pour in less than 60 seconds and starts foaming immediately. The kit comes complete with divided bag, disposable protective gloves and installation instructions.

No special tools are needed. Drain N'Seal® products are recommended for use in all fiber and copper pedestals and vaults.



Please contact Uraseal, Inc. Quality Dept. for assistance and recommendations on specifications for this product.

Drain N' Seal Moisture Block Systems

Version April 2014

PRODUCT SELECTION GUIDE

Pedestal Size	Amount Needed	Kit Options
4 Inches (round)	98 grams	1-URF110
6 Inches (round)	220 grams	1-URF220
6 Inches (square)	288 grams	1-URF220 + 1-URF110
8 Inches (round)	391 grams	1-URF440
8 Inches (square)	512 grams	1-URF660
10 Inches (round)	611 grams	1-URF660
10 Inches (square)	800 grams	1-URF660 + 1-URF220
12 Inches (round)	880 grams	2-URF440
12 Inches (square)	1152 grams	2-URF660
14 Inches (round)	1198 grams	2-URF660

^{*}Based upon 4-inch rise of foam.

Part Number	Units per Carton
URF110	32
URF220	24
URF440	16
URF660	12
URF3965	1



One Washington Street Suite 204 Dover, NH 03820

Phone: 800-749-2788 Fax: 603-749-5594 Web: www.uraseal.com